MASTER CARTRIDGE

QUALITY CENTERFIRE AMMUNITION

MANUFACTURED BY SHOOTERS FOR SHOOTERS

MADE IN USA

Master Remanufactured Ammunition

	Caliber	Weight In Grains	Bullet Style	Stock Number	Muzzle Velocity In Feet Per Sec.	Muzzle Energy In Foot Pounds	Test Barrel Length In Inches
	38 special	148	Lead Wadcutter	MC38WC	750	185	4
	38 special	158	Lead Semi-wadcutter	MC38SWC	775	211	4
	38 special	158	Lead Round Nose	MC38RN	775	211	4
	38 special	125	Jacketed Hollow Point	MC38JHP	950	251	4
	38 special +P	158	Lead Semi-wadcutter	MC38SP	900	284	4
	38 special +P	110	Jacketed Hollow Point	MC38LE	1100	296	4
	38 spl. match	148	Bianchi Load WC	MC38B	850	238	6
	357 magnum	158	Lead Semi-wadcutter	MC357SWC	1100	425	4
	357 magnum	158	Jacketed Hollow Point	MC357J	1200	505	4
	357 magnum	125	Jacketed Hollow Point	MC357JHP	1400	544	4
	9 mm	125	Lead Round Nose	MC9LRN	1100	336	4
	9 mm	115	Full Metal Jacket	MC9FMJ	1125	323	4
	9 mm	115	Jacketed Hollow Point	MC9JHP	1125	323	4
	9 mm	147	Lead Round Nose	MC9LSS	900	264	4
	9 mm	147	Full Metal Jacket	MC9FMSS	950	295	4
	9 mm	147	Jacketed Hollow Point	MC9JSS	950	295	4
	380 ACP	95	Lead Round Nose	MC380RN	925	181	3
	380 ACP	95	Full Metal Jacket	MC380FMJ	925	181	3
	380 ACP	88	Jacketed Hollow Point	MC380JHP	975	186	3
	10 mm	180	Full Metal Jacket	MC10FMJ	950	361	5
	10 mm	180	Jacketed Hollow Point	MC10J	950	361	5
	10 mm	150	Jacketed Hollow Point	MC10JHP	1350	607	5
	10mm	180	Lead Round Nose	MC10RN	950	361	5

Master Remanufactured Ammunition



Caliber	Weight In Grains	Bullet Style	Stock Number	Muzzle Velocity In Feet Per Sec.	Muzzle Energy In Foot Pounds	Test Barrel Length In Inches
40 S & W	150	Jacketed Hollow Point	MC40JHP	1100	403	4
40 S & W	180	Jacketed Hollow Point	MC40J	950	361	4
40 S & W	180	Full Metal Jacket	MC40FMJ	950	361	4
40 S & W	180	Lead Round Nose	MC40RN	950	361	4
45 ACP	230	Lead Round Nose	MC45LRN	825	348	5
45 ACP	200	Lead Semi-wadcutter	MC45SWC	900	360	5
45 ACP	230	Full Metal Jacket	MC45FMJ	810	335	5
45 ACP	185	Jacketed Hollow Point	MC45JHP	990	402	5
223	55	Full Metal Jacket	MC223FMJ	3100	1174	22
223	55	Spitzer Soft Point	MC223SP	3100	1174	22
223	70	Semi Spitzer Soft Point	MC223S	2800	1219	22

Master New Ammunition



Caliber	Weight In Grains	Bullet Style	Stock Number	Muzzle Velocity In Feet Per Sec.	Muzzle Energy In Foot Pounds	Test Barrel Length In Inches
38 special	148	Lead Wadcutter	MC38WCN	750	185	4
38 special	158	Lead Semi-wadcutter	MC38SWCN	775	211	4
38 special	158	Lead Round Nose	MC38RNN	775	211	4
38 special	125	Jacketed Hollow Point	MC38JHPN	950	251	4
38 special +P	158	Lead Semi-wadcutter	MC38SPN	900	284	4
38 special +P	110	Jacketed Hollow Point	MC38LEN	1100	296	4

Velocities shown are measured 15 feet from the muzzle, and corrected to muzzle velocity.

New items are periodically added to our inventory. This catalog may not reflect our entire stock. Contact your distributor for additional information.

Master New Ammunition

	Caliber	Weight In Grains	Bullet Style	Stock Number	Muzzle Velocity In Feet Per Sec.	Muzzle Energy In Foot Pounds	Test Barrel Length In Inches
	357 magnum	158	Lead Semi-wadcutter	MC357SWCN	1100	425	4
	357 magnum	158	Jacketed Hollow Point	MC357JN	1200	505	4
	357 magnum	125	Jacketed Hollow Point	MC357JHPN	1400	544	4
	9 mm	125	Lead Round Nose	MC9LRNN	1100	336	4
	9 mm	115	Full Metal Jacket	MC9FMJN	1125	323	4
	9 mm	115	Jacketed Hollow Point	MC9JHPN	1125	323	4
	9 mm +P	115	Jacketed Hollow Point	MC9PN	1300	432	4
	9 mm	147	Lead Round Nose	MC9LSSN	900	264	4
	9 mm	147	Full Metal Jacket	MC9FMSSN	950	295	4
	9 mm	147	Jacketed Hollow Point	MC9JSSN	950	295	4
	380 ACP	95	Lead Round Nose	MC380RNN	925	181	3
	380 ACP	95	Full Metal Jacket	MC380FMJN	925	181	3
	380 ACP	88	Jacketed Hollow Point	MC380JHPN	975	186	3
	10 mm	180	Full Metal Jacket	MC10FMJN	950	361	5
	10 mm	180	Jacketed Hollow Point	MC10JN	950	361	5
	10 mm	150	Jacketed Hollow Point	MC10JHPN	1350	607	5
	10 mm	180	Lead Round Nose	MC10RNN	950	361	5
	40 S & W	150	Jacketed Hollow Point	MC40JHPN	1100	403	4
	40 S & W	180	Jacketed Hollow Point	MC40JN	950	361	4
	40 S & W	180	Full Metal Jacket	MC40FMJN	950	361	4
	45 ACP match	230	Full Metal Jacket	MC45FMN	750	287	5
	45 ACP match	185	Jacketed Hollow Point	MC45MN	775	246	5
	45 ACP +P	185	Jacketed Hollow Point	MC45PN	1105	502	5

Master New Ammunition

	Caliber	Weight In Grains	Bullet Style	Stock Number	Muzzle Velocity In Feet Per Sec.	Muzzle Energy In Foot Pounds	Test Barrel Length In Inches
	41 magnum	210	Lead Semi-wadcutter	MC41SN	1200	672	6
	41 magnum	210	Jacketed Hollow Point	MC41JN	1325	819	6
	44 magnum	240	Lead Semi-wadcutter	MC44SWCN	1150	705	7.5
	44 magnum	240	Jacketed Hollow Point	MC44JHPN	1325	936	7.5
	44 magnum	180	Jacketed Hollow Point	MC44DSN	1750	1224	7.5
	44 magnum	300	Jacketed Soft Point	MC44SPN	1250	1041	7.5
	45 Long Colt	255	Lead Semi-wadcutter	MC45LSN	825	385	6
	45 Long Colt	240	Jacketed Hollow Point	MC45LJN	850	385	6
	45 win mag	230	Full Metal Jacket	MC45WMFM	1525	1188	10
	45 win mag	300	Jacketed Soft Point	MC45WMSP	1250	1041	10

Competition Requires Quality Centerfire Ammunition!



Cobb County Regional PPC Match — June 1991

PPC Match 5 Stage A & B — 300 - 27x

Ammunition Used- Stock No. MC38WC



Bianchi Target Practical Event 12x 25 & 50 Yards

Ammunition Used- Stock No. MC38B



Curtis Shipley, Dixie Cup Regional Action Pistol Match Winner 1989, 1990, 1991

PRODUCT INFORMATION

Master Cartridge manufactures all of our product lines to the same exacting standards. We use only the finest American made components as well as the latest and most advanced equipment. We pride ourselves on never having sacrificed quality to reduce costs. Many hours of testing and development go into the production of each load we offer. That, along with our strict quality control program, has put our products in the shooting boxes of police and civilian competitors around the country. All Master center fire cartridges are guaranteed to perform satisfactorily.

CASE CLEANING AND INSPECTION

At Master Cartridge we go one step further than most manufacturers to insure that our customers are using the finest remanufactured ammunition available, for qualification, practice, or match competition. We were the first major producer in our industry to separate brass cases from nickel cases. Thus separated, the cases are inspected for cracks and dents, deprimed, and the primer pocket checked for uniformity. The cases are then cleaned by a process we have developed which is unsurpassed by anyone in the industry. This process cleans the cases inside and out, including the primer pocket. The cases are then loaded, polished, inspected and packaged while maintaining the division of brass and nickel cases to achieve the most consistent results possible. All Master remanufactured ammunition rivals new ammunition in performance and appearance.

CASE EXCHANGE POLICY

Empty cases returned to Master for remanufacture are subject to our count. The cases are inspected for loaded rounds and other non-reloadable cases. The remaining good cases are then counted for total credit. All berdan primed cases, military cases with crimped primer pockets, and aluminnum cases will be regarded as non-reloadable. We use, as a rule of thumb, the following weights per 1000 rounds. Should the actual count be more or less, we will either credit or charge the difference.

38 spl	10.5 lbs.	40 S & W	10.0 lbs.
357 mag	11.5 lbs.	45 ACP	12.5 lbs.
9 mm	9.0 lbs.	41 mag	15.5 lbs.
380 ACP	7.5 lbs.	44 mag	16.5 lbs.
10 mm auto	12.0 lbs.	45 LC	16.0 lbs.

Brass to be reloaded must be shipped in *BULK*, separated by caliber. For further shipping instructions, please contact your distributor.

PRODUCT LIABILITY

For your protection, Master Cartridge Corporation maintains full PRODUCT LIABILITY INSURANCE in the amount of $1,000,000 (one million dollars) property damage and bodily injury.

DISTRIBUTED BY

1992 MASTER CARTRIDGE CORPORATION • VILLA RICA, GA 30180
All rights reserved